

4.2 Measures of Central Tendency

EQ: What is the difference between measures of central tendency & dispersion?

Oct 28-8:03 PM

Measures of Central Tendency:

Mean, Median, Mode

Measures of Dispersion:

range, IQR, Mean absolute deviation

Oct 28-8:01 PM

Coordinate Algebra


4.2 Measures of Central Tendency & Dispersion

Measures of Central Tendency

1. Some people use "average" interchangeably for both mean and median. Consider this statement:

"Just think of how stupid the average person is, and then realize half of them are even stupider?" George Carlin

What type of "average" is George Carlin referring to, mean or median? Is it possible to have more than half of a population above this kind of average?



2. What is the difference between mean and median?
3. Give an example of data when the mean and median might have the same value.

Give an example when the mean and the median do NOT have the same value.

Oct 28-7:56 PM

4. Can the following statement be true? Why or why not?
 "Welcome to Lake Wobegon, where all the women are strong, all the men are good-looking, and all the children are above average." Garrison Keillor

5. Is it possible to have more than half of data values above (or below) the mean?

Oct 28-7:57 PM

6. Find the mean, median, and mode for each set of data.

5, 11, 16, 8, 4, 7, 15, 6, 11, 7

Oct 28-7:57 PM

7. Kara had 85, 83, 92, 88, and 69 on her first five math tests. She knows that she needs an average of 85 to get a B. What score must she get on her last test to get a B?

Oct 28-7:57 PM

Measures of Spread – Range, IQR, and Mean Absolute Deviation

Mean Absolute Deviation of a numerical data set is the average of the positive deviations of the data from the mean.

$$\text{Mean Absolute Deviation} = \frac{|x_1 - \bar{x}| + |x_2 - \bar{x}| + \dots + |x_n - \bar{x}|}{n}$$

Oct 28-7:57 PM

A measure of distribution is a measure of how spread out data is, or how the data is distributed from its smallest values to its largest values. Suppose, for instance, that Joe has test scores of 60, 68, 69, 78, 90, 95, and 100. Sammy scores 78, 78, 79, 79, 82, 82, and 82.

1. Calculate Joe's mean test score. Then calculate Sam's mean test score. What do you notice about Joe's scores compared to Sammy's?

Oct 28-7:58 PM

Measuring the mean will not tell you much about the characteristics of the test takers. A measure of distribution, or spread, will help you see that Sam consistently scores near 80, while Joe's scores are spread out, or distributed, over a much larger range.

2. To examine the distribution of test scores, find the mean absolute deviation. Follow the steps below to find the mean absolute deviation of Sam's test scores (Joe's example is given).

Steps	Joe	Sam
a) Calculate the mean, symbolically, \bar{x} , of the data.	Mean: $\bar{x} = \frac{60 + 68 + 69 + 78 + 90 + 95 + 100}{7}$, $\bar{x} = 80$	
b) Find the deviation, or distance from the mean, for each piece of data.	Deviation: 60 - 80 = -20 68 - 80 = -12 69 - 80 = -11 78 - 80 = -2 90 - 80 = 10 95 - 80 = 15 100 - 80 = 20	
c) Find the absolute value of the mean deviations.	20 12 11 2 10 15 20	
d) Find the average of the positive deviations found in part c.	MAD: $\frac{20 + 12 + 11 + 2 + 10 + 15 + 20}{7} = 12.86$	

- 3) Why do you think the MAD of Joe's test scores is higher than the MAD of Sammy's test scores?

Oct 28-7:58 PM

Coordinate Algebra
4.2 Homework Sheet

Unit 4 - Describing Data

Name: _____ Date: _____

Find the range and mean absolute deviation of the data. Round to the nearest hundredth, if necessary.

1. 10, 7, 13, 10, 8

Value	Distance from the mean	Absolute value of distance

Range: _____

Oct 28-8:06 PM